

TACNA WATER MANAGEMENT COMPANY 4743 E. 30TH PLACE YUMA, AZ 85365 928-341-9685

ARIZONA CORPORATION COMMISSION DOCKET CONTROL – MARK RIMBACK 1200 W WASHINGTON ST PHOENIX, AZ 85007

September 10, 2015

DAWN SIMPSON

DOCKET NO: W-01344A-15-0251

RE: RATE APPLICATION AMENDMENT

12 Omnor

TACNA WATER MANAGEMENT COMPANY

RECEIVED

2015 SEP 15 A 11: 19

AZ CORP COMMISSE DOCKET CONTROL

ORIGINAL

Arizona Corporation Commission DOCKETED

SEP 1 5 2015

DOCKETED BY

ATTACHED IS AMENDED PAGE 21 OF THE TACNA WATER MANAGEMENT COMPANY RATE APPLICATION.

Company Name:
Test Year Ended:
| 12.3|.3014
| CALCULATION OF DEPRECIATION EXPENSE

		Column A	Column B	Column C	Column D	Column E
Acct. No.	Plant Description	Plant Original Cost*	Fully Depreciated Plant	Depreciable Plant (Col A - Col B)	Depreciation Percentage*	Depreciation Expense (Col C x Col D)
301	Organization		N/A	N/A	N/A	N/A
302	Franchises		N/A	N/A	N/A	N/A
303	Land & Land Rights		N/A	N/A	N/A	N/A
304	Structures & Improvements	15,000	15,000	0	0	0
307	Wells & Springs	32,000	32,000	0	0	0
311	Pumping Equipment	18,000	18,000	0	D	0
320	Water Treatment Equipment	N/A	N/A	N/A	N/A	N/A
320.1	Water Treatment Plants	70,000	70,000	0	0	0
320.2	Solution Chemical Feeders					
330	Distrib. Reservoirs & Standpipes	N/A	N/A	N/A	N/A	N/A
330.1	Storage Tanks	20,000	20,000	0	0	0
330.2	Pressure Tanks	20,000	20,000	0	0	0
331	Transmission & Distrib. Mains	19,000	19,000	0	O	0
333	Services					
334	Meters & Meter Installations					
335	Hydrants					
336	Backflow Prevention Devices					
339	Other Plant & Misc. Equipment					
340	Office Furniture & Equipment					
340.1	Computers & Software					
341	Transportation Equipment					
343	Tools, Shop & Garage Equip.	15,000	15,000	D	0	0
344	Laboratory Equipment					
345	Power Operated Equipment					784
346	Communication Equipment					
347	Miscellaneous Equipment					
348	Other Tangible Plant					
	TOTAL Less: Amortization of CIAC	209,000	209,000	0	0	0
	DEPRECIATION EXPENSE					

*Note: Use Test Year ending balances for Column A and Commission approved depreciation rates from the prior rate case in Column D.

Hender 21 | Page